3.0 RECYCLED URANIUM MASS FLOW

3.1 Uranium Recycle Description

The ICPP received spent fuel from propulsion reactors, DOE test reactors, foreign reactors under the Atoms for Peace Program, and from university reactors. The burnup on these fuel materials ranged from zero (or very low burnup) to high burnups on some of the reactor development fuel. The reactor fuels were primarily from light water reactors but included fast breeder reactor fuels as well. The beginning of life enrichment of the fuels processed ranged from 50% to 97%. The average end-of-life enrichment for the non-classified fuels was approximately 78%.

After the uranium was recovered by the ICPP processes, the fuel was shipped to Y-12 or Portsmouth for additional processing and for recycling into the complex inventory or it was shipped to Rocky Flats, Pacific Northwest National Laboratory, or Los Alamos National Laboratory where it was used for criticality experiments in their physics program.

3.2 Uranium Receipts

Recycled uranium was received at ICPP from Y-12 in 1971 in the form of UO₃ prepared in their rotary kiln denitrator. This material was used for the startup bed for the denitrator to begin processing the 50% enriched uranium product. The amount of uranium received was 20.648 Kgs and was shipped to out with the first batch of denitrated uranium product. Details on the contaminants in this material are unknown although it is believed to be material that had been shipped to Y-12 from ICPP then run through their process to make the particulate UO₃ needed for the initial denitrator bed.

A second shipment was received in 1978. It was a partial return of the material that had been shipped to PNNL for criticality experiments earlier in 1978 and consisted of 28.064 Kgs of recycled uranium. It was returned to the process inventory, run through the hexone extraction cycles, then denitrated before being shipped out with similar product to Y-12. This material is the product that ICPP shipped to PNNL and as such the contaminants would be identical to the contaminants that were shipped.

3.3 Uranium Shipments

Uranium shipments from ICPP are shown in Table IV. The products were shipped to the Y-12 plant (24,773 Kgs) for purification and preparation of metal for use as driver fuel for the Savannah River production reactors. 4,076 Kgs were sent to Portsmouth for re-enrichment and recycling into the DOE complex reactors. In addition, small quantities were shipped to other complex sites for use in criticality experiments: 47 Kgs to the Pacific Northwest National Laboratory,

168 Kgs to Los Alamos National Laboratory, and 219 Kgs to Rocky Flats. Shipping data giving dates and locations where the shipment was sent are also shown in Table IV.

The listing of fuel processed at ICPP, (see Table V) is based on the spent fuel shipper data, which is the as-fabricated (or "before burnup") value. This value was deliberately chosen for the input value because of criticality concerns. "Burnup" of specific fuel elements in a core is a function of their location in the core. By using the "before burnup" value for the uranium, a credible, conservative assessment of criticality risk can be made. Once the fuel is in solution, an accurate measurement of the uranium and the fissile content can be made.

The accountability tank is where the samples are taken for the input accountability measurements. These values are then used through the rest of the process as the basis for the criticality calculations.

The final accountability measurement is made after the uranium passes through all of the extraction cycles and the final product is packaged. Samples are then taken from each of the shipping containers. The measurements made on each of the samples is an isotope dilution mass spectrometry measurement where an accurately measured aliquot containing a precisely known amount of U-233 is added to the sample as a calibration standard. This method provides accurate and highly precise values of total uranium and uranium isotopic distribution.

The initial input values provided by the shipper do not take into account the U-235 consumed by the reactor. As a result, the amount of total uranium in the final product, (see Table IV), would be expected to be less than that charged to the dissolvers, as shown in Table V. Thus, the excess that is observed is the difference between the shippers values recorded as the material was charged to the dissolvers and the amounts measured at the point where the product packages were sealed for shipment.

Table IV
Shipments of Final Product

Year	741	No. Shipments	Destination	Total U
1953	CPI-CYT	8	Y-12	310,983 g
1954	CPI-CYT	7	Y-12	289,247
1955	(CPI-CYT	8	Y-12 742,669)	,
	(CPI-SFJ	3	Rocky Flats 219,093)	961,762
1956	CPI-CYT	7	Y-12	1,122,452
1957	CPI-CYT	5	Y-12	611,851
1958	CPI-CYT	0	Y-12	
1959	CPI-CYT	5		2,683,680
		9 5 3	Y-12	1,763,087
1960	CPI-CYT	3	Y-12	579,649
1961	CDI CVT	-	77.10	=======================================
1962	CPI-CYT	8 3 2	Y-12	775,823
1963	CPI-CYT	3	Y-12	770,678
1964	JZA-FZB	2	Y-12	421,818
1965	JZA-FZB	4	Y-12	812,790
1966	JZA-FZB	3	Y-12	595,477
1967		-		-
1968	JWA-FZB	4	Y-12	821,403
1969	-	-	-	•
1970	JWA-FZB	4	Y-12	527,383
1971	(JWA-FZB	2 2	Y-12)	1,654,977
	(JSA-FZB		Y-12)	
1972	JSA-FZB	1	Y-12	434,476
1973	(JSA-FXA	4	Portsmouth 1,374,895)	,
	(JSA-FZB	.2	Y-12 552,835)	1,927,730
1974	ĴSA-FZB	1	Y-12	381,339
1975	(JSA-FZB		Y-12 898,009)	
	(JSA-FXA	2 3 3 2 2 2 3 2	Portsmouth 1,402,663)	2,300,672
1976	(JSA-FXA	3	Portsmouth 1,298,210)	2,300,072
	(JSA-FZB	2	Y-12 519,582)	1,817,792
1977	JSA-FZB	$\frac{\overline{2}}{2}$	Y-12	976,177
1978	(JSA-FZB	3	Y-12 526,966)	770,177
23.0	(JSA-HYA	2	PNNL 47,010)	573,976
1979	JSA-FZB	1	Y-12	543,976
1980	-	_	+	545,770
1981	JXI-FZB	2	Y-12	904,422
1982	JXI-FZB	2 2	Y-12	1,102,135
1983	JXI-FZB	2	Y-12	517,913
1984	(JXI-FZF)	2 .	1-12	317,913
1704	(JXI-FZB	11	Y-12 2,868,215)	
	(JXI-AUA	3		2 025 021
1985	(JAI-AUA	3	LANL 167,606)	3,035,821
1986	rvi dad	4	- 37.10	055 115
	JXI-FZF	4	Y-12	955,115
1987	-			
1988	-			
1989	-			
1990	-			
1991	-			
1992	- -	_		
1993	JXI-FZF	1	Y-12	116,496
1994 - 1997		-	•	-
1998	JXI-FZF	2	Y-12	424
n d	, a , a , 	·		
rroduct invento	ory currently stored at INEE	L	1,770,061	
	•			

TOTAL

S														
Total U Kgs	275.33	96:59	645.35	667.34	581.13	30.83	86.076			467.20		15.00	277.20	
Process	Aluminum	Aluminum	Aluminum ,	Aluminum	Aluminum	Aluminum	Aluminum	Zirconium	RaLa	Aluminum	RaLa	Zirconium	Aluminum	RaLa
UKgs	275.33	65.95	645.35	667.34	581.13	30.83	956.20	11.57	2.61	467.00	0.20	15.00	276.50	0.70
Fuel Type	Hanford C and J Slugs	MTR, LITR, NRX Aluminum Clad, Declad EBR-I in Aluminum Can	Declad EBR-I in Al can. NPR, MTR, LITR, Borax, Hanford C and J Slugs	Hanford J Slugs, MTR, Borax, LITR, SRP Reject Slugs	Hanford C and J Slugs, SRP Reject Slugs	MTR, LITR, CP-3, CR, Borax	Hanford C and J Slugs, CR, MTR, Borax, LITR, ANL, SRP LM Slugs	Zirconium	RaLa MTR	SRP LM Slugs	RaLA MTR	Zirconium	Hanford C Slugs	RaLa MTR
er Date	2/53 - 8/53	10/53 - 12/53	7/54 - 2/55	3/55 - 11/55	12/55 - 3/56	95/5 - 95/E	2/56 - 3/57			10/57 - 12/57		12/57 - 1/58	1/58 - 2/58	
Number		2.	3.	4.	5.	.9	7.			8.		9.	10.	

Table V Fuel Processed at ICPP Fuel Type

Number	oer Date	Fuel Type	UKgs	Process	Total U Kgs
Ξ	5/58 - 11/58	SRP LM Slugs, SRP Tubes, MTR, Chalk River	2226.53	Aluminum	2228.70
·		RaLa MTR	2.17	RaLa	
12.	12/58 - 4/59	SRP Slugs, SRP Tube, NRX	653.15	Aluminum	653.99
-		RaLa MTR	0.84	RaLa	
13.	4/59 - 8/59	SRP Tube, SRP Slugs, SRP Tube Ends, Chalk River	1174.60	Aluminum	1174.60
14.	7/59 - 12/59	Zirconium	58.30	Zirconium	88.64
		OMRE, BMI	28.50	Aluminum	
		RaLa MTR	1.84	RaLa	
15.	12/59 - 2/60	MTR, ETR, LITR, Convair (ASTR), Hanford C, J and KW Slugs, SRP LM Slugs	779.90	Aluminum	780.23
		RaLa MTR	0.33	RaLa	
16.	2/60 - 3/60	Zirconium	48.00	Zirconium	48.50
		RaLa MTR	0.50	RaLa	
17.	3/60 - 4/60	Zirconium	27.00	Zirconium	27.17
		RaLa MTR	0.17	RaLa	
18.	1/61 - 2/61	ETR	45.10	Aluminum	45.10

Total U Kgs

Process

U Kgs

Fuel Type

Date

Number

526.96 758.92 1228.53 651.89 44.60 Aluminum/Custom Aluminum/Custom Aluminum/Custom Co-processing Co-processing Zirconium Aluminum Aluminum RaLa RaLa 526.96 723.84 44.60 647.38 757.25 504.69 1.67 4.51 BGRR, NRX, McMasters, NRU, NRL, SWE, OWR, WTR, Borax III, Suzie, Hanford AEC Vycor Glass Molds, EBR-I Mark II, Plastic Zr Scrap, PWR Core 1/Seed 1, Zr EBR-I Core 3, SNAPTRAN 2/10A-3 Core Debris BNL, LITR, CP-5, LPTR, Convair (GTR), IRL, U of Mich, FNR, GTR, MTR, OWR, LPTR, LITR UF, ETR, CP-5, Zirconium, ATR, MTR, ETR, SPERT, LITR, LPTR, MTR, ETR, SPERT, GETR, BRR, SL-1, Slugs, LITR, Chalk River, CP-5, LPTR, MTR, ETR, Borax IV, Hanford C and J OWR, GTR, ASTR, GETR, EBR-II Convair (GTR), OWR, SL-1 Scrap Coated Al Fuel Plates VBWR, AI UO2SO4 and REY, NRU SPERT NASA, RaLa, MTR RaLa MTR 12/65 - 1/66 6/64 - 12/64 12/61 - 2/62 4/65 - 6/65 89/6 - 89/9 23. 21. 22 19. 20.

Table V
Fuel Processed at ICPP

Total U Kgs	62.82	715.62		1870.26		840.70		361.56		1546.60	1693.59
Process	Aluminum/Custom	Aluminum/Custom	Zirconium	Co-processing Zirconium	Aluminum/Custom	Zirconium	Custom	Co-processing Zirconium	Aluminum/Custom	Stainless/ Electrolytic	Co-processing Zirconium
U Kgs	62.82	698.37	17.25	468.56	1401.70	804.00	36.70	206.0	155.56	1546.60	637.20
Fuel Type	JRR-2/Core 1, NRX, NRU, BGRR, EBR-II Vycor Glass, JRR-2/Core 2, Core 3	MTR, WSU, ETR, LITR, LPTR, OWR, GTR, CP-5, SER, IRL, GETR, NRL, Graphite, EBR-II Vycor Glass Fuel Molds	Zr	Zr, SNAPTRAN 2/10 - 2 Debris	MTR, ETR, GETR, Korean, SER, LITR, AFNETR, IRR-2, KUR, LPTR, OWR, ATR, SPERT, ZPR-III	Zr	JRR-2, EBR-II Scrap, WADCO	Zr	ETR, Custom Miscellaneous	EBR-II	Zr
er Date	3/67 - 9/67	4/68 - 6/68		8/69 - 10/69		2/71 - 1/71		6/72 - 8/72		. 1/73 - 5/73	2/74 - 5/74
Number	24.	25.		26.		27.		28.		29.	30.

Total U Kgs

Process

U Kgs

Fuel Type

Date

Number

3139.80 377.00 655.22 589.84 564.6 Aluminum/Custom Aluminum/Custom Aluminum/Custom Electrolytic Electrolytic Zirconium Zirconium Stainless/ Stainless/ Custom 1056.39 3139.80 342.40 390.60 199.24 655.22 34.60 564.6 EBR-II Vycor Glass, GGA Thermionic, U of GETR, ATR, MTR, JRR, ETR, CP-5, OWR, JMTR, Juggernaut, KUR, UM, SER, LPTR, WY. Al Fission Disc, HTRE Scrap, Walter MORE, SPERT, ORNL 17-1, BMI Fission Reed Army Hospital, Nuclear Test Gauge. Disc, Kinglet, Godiva, PBF Metallurgical Samples Godiva, HTRE, ATR, MTR, LPT, ETR, GETR HTGR Ash, BMI Fission Disc Custom (Misc) Zr, PWR EBR-II EBR-II Zr 2/75 - 5/76 91/6 - 91/5 7/78 - 3/79TT/6 - TT/8 3/77 - 6/7731. 34. 35. 32. 33.

1356.54

Co-processing

706.10

Zr

9/80 - 3/81

36.

Zirconium

Table V Fuel Processed at ICPP Fuel Type

Total U Kgs

Process

U Kgs

Date

Number

981.00 3311.00 809.70 417.17 960.20 725.11 Aluminum/Custom Aluminum/Custom Aluminum/Custom **Custom Fluorinel** Electrolytic Custom, Zirconium Stainless/ Fluorinel Fluorinel Fluorinel Rover 650.44 155.00 219.50 826.00 417.17 3027.60 809.70 722.91 670.70 2.20 HFBR, LPTR, TR-1, ATR, BSR, ORR, HMI, Godiva, Rocky Flats U₃O₈, Fluorinel Startup ETR, BSR, ATR, OWR, ORR, HFR-Petten, ITAL, FRG, DR-3, UCLA, MURR, OWR, Univ., JRR-2, JMTR, JANUS, SR, UCSB TRITON, FRJ-2, HFR, BR-2, ORPHEE, SAPHIR, GETR, FRG, FRJ/FRM, SFR, Rocky Flats U3O8, GETR, OWR, STIR, ASTRA, SFR, R-2, JUNTA, McMaster LPTR, UCLA-MTR, ATR, ETR Los Alamos Metal Fuel Scrap, Rocky Flats U₃O₈, Fluorinel Startup LANL UO2SO4, Fluorinel Fluorinel UO2SO4 EBR-II Rover 10/86 - 10/87 12/87 - 7/88 9/82 - 11/81 8/81 - 11/81 4/83 - 6/84 8/85 - 1/86 37. 39. 40. 41. 42. 38.

Number	Date	Fuel Type	U Kgs	Process	Total U Kgs
		EBR-II Vycor Glass Molds, BYU UO ₂ SO ₄ , EBR-II Fuel Scrap, ANL-E Fuel Scrap	289.50	Custom	
·		TOTAL U Charged			33231.87